NSN 5925-01-371-6196

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-371-6196

## **Body Style:**

Multipole-single actuator type

### **Bushing Length:**

0.380 inches

# **Body Length:**

1.562 inches

## **Body Width:**

1.937 inches

#### **Case Material:**

Metal

#### Center To Center Distance Between Terminals Parallel To Length:

Between 0.860 inches and 0.890 inches

## Center To Center Distance Between Terminals Parallel To Width:

Between 0.610 inches and 0.640 inches

#### Switch Contact Arrangement:

Single pole, double throw

## Mounting Surface To Terminal End Distance:

1.780 inches

# Pole Quantity:

3

#### **Mounting Facility Type And Quantity:**

1 threaded bushing w/panel seal

## Maximum Continuous Load Current Rating Per Pole:

10.0 amperes ac all locations

## **Operating Voltage Type And Rating Per Pole In Volts:**

240.0 ac all locations

#### **Circuit Protection Type:**

Overcurrent all locations

#### Trip Release Method:

Magnetic all locations

#### **Reset Method:**

Manual

#### Main Contact Tripping Mechanism Type:

Trip free

## Manual Actuator Type And Quantity:

1 toggle

#### **Actuator Function:**

Trip-reset

# Actuator Position Designation:

At pole two

## Auxiliary Switch Function And Quantity:

1 alarm

# NSN 5925-01-371-6196

Circuit Breaker - Page 2 of 2



Internal Trip Release Configuration: Series trip all locations **Thread Size:** 0.375 inches Switch Location And Position Designation: Internal at pole two **Inclosure Protection Type For Which Designed:** Hermetically sealed and shock resistant and vibration resistant Switch Current Rating And Type In Amps: 0.5 ac and 0.5 dc **Thread Series Designator:** Unef **Terminal Type And Quantity:** 6 wire hook Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A030a0