NSN 5925-01-373-1032



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-373-1032 **Body Style:** Rectangular dimensional envelope **Overall Length:** 4.875 inches **Overall Height:** 3.000 inches **Case Material:** Plastic **Pole Quantity: Mounting Facility Type And Quantity:** 4 unthreaded hole **Maximum Continuous Load Current Rating Per Pole:** 30.0 amperes ac all locations Operating Voltage Type And Rating Per Pole In Volts: 480.0 ac all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 14000.0 ac single location **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset **Actuator Position Designation:** At pole two **Internal Trip Release Configuration:**

Series trip all locations

Frequency In Hertz:

60.0 all locations

Terminal Type And Quantity:

6 compression

NSN 5925-01-373-1032

Circuit Breaker - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0