NSN 5925-01-399-5305



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-399-5305 **Body Style:** Multipole-single actuator type **Body Length:** 2.891 inches **Body Width:** 2.000 inches **Body Height:** 2.375 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Width:** 1.000 inches **End Application:** Used aboard 175 ft wlb coast guard vessels **Boss Height:** 0.187 inches **Pole Quantity:** 2 **Mounting Facility Type And Quantity:** 4 terminal **Maximum Continuous Load Current Rating Per Pole:** 15.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type: Manual Actuator Type And Quantity:**

Trip free 1 toggle **Actuator Function:** Trip-reset

NSN 5925-01-399-5305

Circuit Breaker - Page 2 of 2

No Fiig: A030a0



Actuator Position Designation:
At pole one
Trip Delay Time In Seconds Per Rated Continuous Current:
120.000 at 200 pct all locations
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: