## NSN 5925-01-425-4332

Circuit Breaker - Page 1 of 2

Multipole-multiple actuator type

**Body Style:** 

Body Length: 2.000 inches Body Width:



View Online at https://aerobasegroup.com/nsn/5925-01-425-4332

1.500 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
1.560 inches
Center To Center Distance Between Terminals Parallel To Width:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.660 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Boss Height:
0.130 inches
Mounting Surface To Terminal End Distance:
1.950 inches
Pole Quantity:
2
Mounting Facility Type And Quantity:
4 clip
Maximum Continuous Load Current Rating Per Pole:
10.0 amperes ac second location and 10.0 amperes dc second location
Operating Voltage Type And Rating Per Pole In Volts:
240.0 ac first location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
2000.0 ac second location and 1000.0 dc second location
Circuit Protection Type:
Overcurrent second location
Trip Release Method:
Magnetic second location
Auxiliary Trip Coil Voltage Type And Rating In Volts:
•
Auxiliary Trip Coil Voltage Type And Rating In Volts:
Auxiliary Trip Coil Voltage Type And Rating In Volts:  115.0 ac second location

Manual

150.0 second location

**Reset Method:** 

## **NSN 5925-01-425-4332** Circuit Breaker - Page 2 of 2



Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
2 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
At each pole
Internal Trip Release Configuration:
Series trip w/remote trip feature second location
Trip Release Duty Cycle:
Continuous second location
Trip Delay Time In Seconds Per Rated Continuous Current:
0.400 at 150 pct second location and 6.000 at 150 pct second location
Frequency In Hertz:
50.0 second location or 60.0 second location or 400.0 second location
Terminal Type And Quantity:
5 knife blade
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A030a0