## NSN 5925-01-431-7056

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-431-7056 **Body Style:** Multipole-single actuator type **Bushing Length:** 0.656 inches **Body Length:** 2.000 inches **Body Width:** 2.265 inches **Case Material:** Metal **Center To Center Distance Between Terminals Parallel To Length:** 1.530 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.750 inches **Mounting Surface To Terminal End Distance:** 2.232 inches **Pole Quantity: Mounting Facility Type And Quantity:** 9 threaded stud **Maximum Continuous Load Current Rating Per Pole:** 15.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 115.0 ac single location **Circuit Protection Type:** Error voltage single location **Trip Release Method:** Solid state single location **Trip Release Characteristic:** Instantaneous single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 41.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Nontrip free **Thread Size:** 0.138 inches **Criticality Code Justification:** 

Feat

**Special Features:** 

Weapon system essential

## NSN 5925-01-431-7056

Circuit Breaker - Page 2 of 2



Frequency In Hertz:
400.0 single location
Thread Series Designator:
Unc
Terminal Type And Quantity:
4 tab w/screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A030a0