

View Online at <https://aerobasegroup.com/nsn/5925-01-437-9172>

**Body Style:**

Multipole-multiple actuator type

**Body Length:**

1.562 inches

**Body Width:**

1.281 inches

**Center To Center Distance Between Terminals Parallel To Length:**

0.906 inches

**Center To Center Distance Between Terminals Parallel To Width:**

0.625 inches

**Unthreaded Mounting Hole Diameter:**

0.250 inches

**End Application:**

F15s lantirn

**Pole Quantity:**

2

**Mounting Facility Type And Quantity:**

2 threaded bushing w/panel seal

**Operating Voltage Type And Rating Per Pole In Volts:**

240.0 ac all locations and 50.0 dc all locations

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Magnetic all locations

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

1 toggle

**Actuator Function:**

Trip-reset

**Actuator Position Designation:**

Between pole one and two

**Switch Location And Position Designation:**

External between pole one and two

**Frequency In Hertz:**

60.0 all locations or 400.0 all locations

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

4 tab w/screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0

**Mil-std (military Standard):**

Mil-prf-39019 spec.