NSN 5925-01-438-1944

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-438-1944

Body Style:
Single pole type
Body Length:
4.750 inches
Body Width:
1.026 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
3.547 inches
Mounting Surface To Terminal End Distance:
3.340 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 threaded hole
Thready Qty Per Inch (tpi):
32
Maximum Continuous Load Current Rating Per Pole:
70.0 amperes ac single location
Operating Voltage Type And Rating Per Pole In Volts:
240.0 ac single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
125.0 ac single location
Trip Release Method:
Magnetic single location
Trip Release Characteristic:
Time delay single location
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Thread Size:
0.138 inches
Trip Delay Time In Seconds Per Rated Continuous Current:
90.000 at 125 pct single location
Frequency In Hertz:
60.0 single location
Test Data Document:
81349-mil-c-55629 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Unc

Thread Series Designator:

NSN 5925-01-438-1944

Circuit Breaker - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

81349-mil-c-55629/13 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0