

View Online at <https://aerobasegroup.com/nsn/5925-01-473-0807>

Body Style:

Multipole-single actuator type

Body Length:

4.125 inches

Body Width:

3.344 inches

Body Height:

3.375 inches

Center To Center Distance Between Terminals Parallel To Length:

2.250 inches

Center To Center Distance Between Terminals Parallel To Width:

1.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.938 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.250 inches

End Application:

Sub engineering and diesel sys

Boss Height:

0.031 inches

Pole Quantity:

6

Mounting Facility Type And Quantity:

4 unthreaded hole

Maximum Continuous Load Current Rating Per Pole:

500.0 amperes dc all locations

Operating Voltage Type And Rating Per Pole In Volts:

50.0 dc all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

1200.0 dc all locations

Circuit Protection Type:

Undercurrent all locations

Trip Release Method:

Solid state all locations

Trip Release Characteristic:

Instantaneous all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

400.0 all locations

Reset Method:

Automatic

Special Features:

Switchboard non vital ac 6s-section 4

Terminal Type And Quantity:

6 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0