## NSN 5925-01-474-3576

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-474-3576 **Body Style:** Single pole type **Body Diameter:** 0.820 inches **Mounting Slot Width:** 0.820 inches **Bushing Length:** 0.570 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Diameter:** 0.100 inches **End Application:** 2320-01-465-2174 **Mounting Surface To Terminal End Distance:** 1.350 inches **Pole Quantity:** 2 **Mounting Facility Type And Quantity: Maximum Continuous Load Current Rating Per Pole:** 5.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 36.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 15.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal all locations **Trip Release Characteristic:** Instantaneous single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 100.0 all locations **Reset Method:** Automatic **Internal Trip Release Configuration:** Relay trip all locations **Trip Release Ambient Tempurature Rating:** 

**Product Name:** 

Circuit breaker, 5 amp

40.0 degrees celsius all locations

## NSN 5925-01-474-3576

Circuit Breaker - Page 2 of 2



Terminal Type And Quantity:
1 bus bar
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0