NSN 5925-01-481-3184

Circuit Breaker - Page 1 of 2

Multipole-multiple actuator type

Body Style:

Body Length: 8.000 inches



View Online at https://aerobasegroup.com/nsn/5925-01-481-3184

Body Width:
8.000 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
2.540 inches
Center To Center Distance Between Terminals Parallel To Width:
3.660 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
7.130 inches
Fragility Factor:
Moderately rugged
End Application:
Deck machine
Mounting Surface To Terminal End Distance:
3.510 inches
Pole Quantity:
3
Mounting Facility Type And Quantity:
6 terminal
Maximum Continuous Load Current Rating Per Pole:
250.0 amperes ac all locations and 250.0 amperes dc all locations
Operating Voltage Type And Rating Per Pole In Volts:
600.0 ac all locations and 250.0 dc all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
1250.0 ac all locations and 2500.0 dc all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal-magnetic all locations
Trip Release Characteristic:
Time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 all locations
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free

NSN 5925-01-481-3184 Circuit Breaker - Page 2 of 2



Manual Actuator Type And Quantity:	
1 toggle	
Actuator Function:	
Trip-reset	
Actuator Position Designation:	
At pole two	
External Actuator Linkage Arrangement:	
One, two, and three linked	
Trip Delay Time In Seconds Per Rated Continuous Current:	
40.000 at 200 pct all locations and 125.000 at 200 pct all locations	
Inclosure Protection Type For Which Designed:	
General purpose	
Trip Release Ambient Tempurature Rating:	
40.0 degrees celsius all locations	
Special Features:	
Monitors circuit breaker status and provides a remote signal indicating te circuit breaker contacts are open or closed	
Frequency In Hertz:	
60.0 all locations	
Terminal Type And Quantity:	
6 compression	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	
Fiig:	
A030a0	