

View Online at <https://aerobasegroup.com/nsn/5925-01-493-4961>

**Body Style:**

Multipole-multiple actuator type

**Bushing Length:**

Between 0.332 inches and 0.380 inches

**Body Length:**

1.562 inches

**Body Width:**

1.281 inches

**Center To Center Distance Between Terminals Parallel To Length:**

0.906 inches

**Center To Center Distance Between Terminals Parallel To Width:**

0.625 inches

**Switch Contact Arrangement:**

Double pole, double throw

**Mounting Surface To Terminal End Distance:**

1.950 inches

**Pole Quantity:**

2

**Mounting Facility Type And Quantity:**

2 threaded bushing

**Special Handling Feature:**

Magnetic

**Thready Qty Per Inch (tpi):**

32

**Maximum Continuous Load Current Rating Per Pole:**

0.75 amperes dc all locations

**Operating Voltage Type And Rating Per Pole In Volts:**

50.0 dc third location

**Manual Actuator Type And Quantity:**

1 toggle

**Thread Size:**

0.138 inches

**Switch Location And Position Designation:**

External between pole one and two

**Thread Tolerance Class:**

2b internal

**Product Name:**

Circuit breaker, magnetic, low-power, sealed, trip free two pole, auxilliary contacts

**Frequency In Hertz:**

60.0 all locations or 400.0 all locations

**Unpackaged Unit Weight:**

100.000 grams

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

2 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0