

View Online at <https://aerobasegroup.com/nsn/5925-01-507-7710>

Body Style:

Single pole type

Bushing Length:

0.330 inches

Body Length:

1.562 inches

Body Width:

0.625 inches

Case Material:

Metal

Center To Center Distance Between Terminals Parallel To Length:

0.906 inches

End Application:

Nsn 2350-01-087-1095 xm1e1 tank

Mounting Surface To Terminal End Distance:

1.700 inches

Pole Quantity:

1

Maximum Continuous Load Current Rating Per Pole:

25.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

50.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

25.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Magnetic single location

Trip Release Characteristic:

Time delay single location

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Trip-reset

Internal Trip Release Configuration:

Series trip single location

Inclosure Protection Type For Which Designed:

Hermetically sealed

Special Features:

Dc resistance 0.006 ohms max; temperature -40 to +75 degrees c; endurance 6000 operations in lieu of 10, 000; hex mounting nut

Terminal Type And Quantity:

2 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0