NSN 5925-01-508-2282

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-508-2282

Body Style:
Multipole-single actuator type
Body Length:
2.000 inches
Body Width:
1.515 inches
Case Material:
Metal
Center To Center Distance Between Terminals Parallel To Width:
0.750 inches
End Application:
8mhs
Mounting Surface To Terminal End Distance:
2.232 inches
Pole Quantity:
2
Mounting Facility Type And Quantity:
1 threaded bushing w/panel seal
Maximum Continuous Load Current Rating Per Pole:
2.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
120.0 ac all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
1000.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Magnetic-hydraulic all locations
Trip Release Characteristic:
Time delay all locations
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Internal Trip Release Configuration:
Series trip all locations
Frequency In Hertz:
50.0 all locations or 60.0 all locations
Terminal Type And Quantity:

4 screw

NSN 5925-01-508-2282

Circuit Breaker - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0