NSN 5925-01-516-1453

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-516-1453

Overall Height:
11.718 inches
Body Length:
12.000 inches
Body Width:
8.000 inches
Case Material:
Metal
Center To Center Distance Between Terminals Parallel To Length:
9.875 inches
Center To Center Distance Between Terminals Parallel To Width:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
9.875 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
3.000 inches
End Application:
Circuit breaker aqb
Boss Height:
0.250 inches
Pole Quantity:
3
Mounting Facility Type And Quantity:
2 threaded stud
Maximum Continuous Load Current Rating Per Pole:
250.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
500.0 ac all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
100000.0 ac all locations
Circuit Protection Type:
Undervoltage all locations
Trip Release Method:
Magnetic-hydraulic all locations
Trip Release Characteristic:
Instantaneous all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
130.0 all locations
Reset Method:
Electric
Main Contact Tripping Mechanism Type:

Nontrip free

NSN 5925-01-516-1453 Circuit Breaker - Page 2 of 2



Internal Trip Release Configuration:
Shunt trip all locations
Thread Size:
0.375 inches
Reset Actuator Voltage Rating And Type In Volts:
250.0 ac
Frequency In Hertz:
60.0 all locations
Thread Series Designator:
Unc
Terminal Type And Quantity:
3 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A030a0