## NSN 5925-01-523-1581

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-523-1581

Body Style:
Single pole type
Mounting Slot Width:
38.24 millimeters
Body Length:
73.41 millimeters
Body Width:
43.28 millimeters
Body Height:
46.58 millimeters
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
58.64 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
58.64 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
28.62 millimeters
End Application:
Nsn 2320-01-447-6345; chassis, truck; w/s: family of medium and light tactical vehicles (fmtv)
Boss Height:
9.9 millimeters
Pole Quantity:
1
Mounting Facility Type And Quantity:
1 slot
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
30.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
24.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
30.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Magnetic single location
Trip Release Characteristic:
Instantaneous single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

120.0 single location

## NSN 5925-01-523-1581

Circuit Breaker - Page 2 of 2



Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 push button
Actuator Function:
Reset
nternal Trip Release Configuration:
Series trip single location
nclosure Protection Type For Which Designed:
-ungus resistant
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
<del>.</del>
Demilitarization:
No
Fiig:
A030a0