## NSN 5925-01-566-7214



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-566-7214 **Body Style:** Single pole type **Body Length:** 2.000 inches **Body Width:** 0.750 inches Center To Center Distance Between Terminals Parallel To Length: 1.530 inches **End Application:** Barrier boat 25bb0501 25-11.3 z **Mounting Surface To Terminal End Distance:** 2.256 inches **Pole Quantity: Mounting Facility Type And Quantity:** 1 threaded bushing w/panel seal **Maximum Continuous Load Current Rating Per Pole:** 30.0 amperes dc single location **Operating Voltage Type And Rating Per Pole In Volts:** 80.0 dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Internal Trip Release Configuration:** Series trip single location **Thread Size:** 0.500 inches and 0.138 inches **Special Features:** Frequency and delay is 50/60hz short delay **Unpackaged Unit Weight:** 

2.200 ounces

**Thread Series Designator:** 

Unc and un

**Terminal Type And Quantity:** 

2 screw

## NSN 5925-01-566-7214

Circuit Breaker - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A030a0