## NSN 5925-01-567-9685

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-567-9685

Body Style:
Multipole-multiple actuator type
Bushing Length:
0.240 inches
Body Length:
2.000 inches
Body Width:
1.515 inches
Case Material:
Metal
Center To Center Distance Between Terminals Parallel To Length:
1.530 inches
Center To Center Distance Between Terminals Parallel To Width:
0.750 inches
Unthreaded Mounting Hole Diameter:
0.156 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.660 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
End Application:
Boat, patrol, 34 foot, bp340601 through bp340609 and bp340701
Mounting Surface To Terminal End Distance:
2.075 inches
Pole Quantity:
2
Mounting Facility Type And Quantity:
4 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
30.0 amperes ac all locations and 30.0 amperes dc all locations
Operating Voltage Type And Rating Per Pole In Volts:
240.0 ac all locations and 80.0 dc all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
2000.0 ac all locations and 7500.0 dc all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Magnetic all locations
Trip Release Characteristic:
Time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

1000.0 all locations

## NSN 5925-01-567-9685

Circuit Breaker - Page 2 of 2



Reset Method:	
Manual	
Main Contact Tripping Mechanism Type:	
Trip free	
Manual Actuator Type And Quantity:	
1 toggle	
Actuator Position Designation:	
At pole one	
nternal Trip Release Configuration:	
Series trip all locations	
Trip Delay Time In Seconds Per Rated Continuous Current:	
1.000 at 200 pct all locations and 20.000 at 200 pct all locations	
Product Name:	
Cage: iug magnetic circuit protector	
Special Features:	
Screw terminals are bent in 30 deg; screws are 0.313 in. Long and are no. 10-30 with captive washers	
Frequency In Hertz:	
60.0 all locations	
Terminal Type And Quantity:	
4 screw	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Filg:	
A030a0	