

View Online at <https://aerobasegroup.com/nsn/5925-01-583-9459>

**Body Style:**

Single pole type

**Body Length:**

2.598 inches

**Body Width:**

0.755 inches

**Case Material:**

Plastic

**Center To Center Distance Between Terminals Parallel To Length:**

2.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.560 inches

**End Application:**

Pu-820/t generator set, diesel engine

**Boss Height:**

0.125 inches

**Mounting Surface To Terminal End Distance:**

1.640 inches

**Pole Quantity:**

1

**Mounting Facility Type And Quantity:**

2 threaded hole

**Thready Qty Per Inch (tpi):**

32

**Maximum Continuous Load Current Rating Per Pole:**

15.0 amperes dc single location

**Circuit Protection Type:**

Overcurrent single location

**Trip Release Method:**

Magnetic single location

**Trip Release Characteristic:**

Time delay single location

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

125.0 single location

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

1 toggle

**Actuator Position Designation:**

At pole one

**Internal Trip Release Configuration:**

Series trip single location

**Thread Size:**

0.138 inches

**Product Name:**

A-series handle ul recognized circuit breaker

**Special Features:**

Terminal type and qty: screw 8-32 (bus type)

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0