

View Online at <https://aerobasegroup.com/nsn/5925-01-598-3939>

Body Style:

Multipole-multiple actuator type

Body Length:

2.0 inches

Body Width:

1.515 inches

Center To Center Distance Between Terminals Parallel To Length:

1.56 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.66 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.75 inches

End Application:

0000-1-Ig9-7307; mpd 85-015 (60955); p/n mpd 85-015

Mounting Surface To Terminal End Distance:

2.0 inches

Pole Quantity:

2

Mounting Facility Type And Quantity:

4 threaded hole

Maximum Continuous Load Current Rating Per Pole:

30.0 amperes ac single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

3000.0 ac single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Magnetic-hydraulic single location

Trip Release Characteristic:

Instantaneous single location

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

2 toggle

Actuator Function:

Trip-reset

External Actuator Linkage Arrangement:

One and two linked

Internal Trip Release Configuration:

Series trip single location

Trip Release Duty Cycle:

Continuous single location

Product Name:

Breaker, circuit

Special Features:

Cms data id 2958, pccn, plisn a003

Terminal Type And Quantity:

4 quick disconnect, male

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0