

View Online at <https://aerobasegroup.com/nsn/5925-01-613-5685>

Body Style:

Multipole-multiple actuator type

Body Length:

2.500 inches

Body Width:

1.515 inches

Center To Center Distance Between Terminals Parallel To Length:

1.940 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.062 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.750 inches

Boss Height:

0.150 inches

Mounting Surface To Terminal End Distance:

2.723 inches

Pole Quantity:

2

Maximum Continuous Load Current Rating Per Pole:

50.0 amperes dc all locations

Operating Voltage Type And Rating Per Pole In Volts:

80.0 dc all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Magnetic all locations

Trip Release Characteristic:

Time delay all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

62.5 all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Nontrip free

Trip Delay Time In Seconds Per Rated Continuous Current:

45.0 at 125 pct and 345.0 at 125 pct all locations

Product Name:

C series, circuit breaker

Special Features:

Used on boatalt 38rp

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0