NSN 5925-01-616-1280



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-616-1280 **Body Style:** Single pole type **Body Length:** 2.500 inches **Body Width:** 0.750 inches **Case Material:** Plastic **Center To Center Distance Between Terminals Parallel To Length:** 1.940 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 2.065 inches **Boss Height:** 0.140 inches **Mounting Surface To Terminal End Distance:** 2.500 inches **Pole Quantity:** 1 **Mounting Facility Type And Quantity:** 2 threaded hole Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 50.0 amperes dc single location **Operating Voltage Type And Rating Per Pole In Volts:** 65.0 dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 62.5 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Nontrip free

Thread Size:

0.138 inches

Trip Delay Time In Seconds Per Rated Continuous Current:

10.0 at 125 pct and 150.0 at 125 pct single location

NSN 5925-01-616-1280

Circuit Breaker - Page 2 of 2



Product Name:
Circuit breaker, 50 amp
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0