## NSN 5925-01-619-2107

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-619-2107 **Body Style:** Single pole type **Bushing Length:** 0.234 inches **Body Length:** 1.384 inches **Body Width:** 0.690 inches **Case Material:** Metal **Center To Center Distance Between Terminals Parallel To Length:** 1.02 inches **Mounting Surface To Terminal End Distance:** 2.035 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 threaded bushing Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 30.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac and 50.0 dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Thermal single location **Trip Release Characteristic:** Instantaneous single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 135.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Internal Trip Release Configuration:** Series trip single location **Thread Size:** 

0.46875 inches

**Trip Release Ambient Tempurature Rating:** 

25.0 degrees celsius single location

## NSN 5925-01-619-2107

Circuit Breaker - Page 2 of 2



Product Name:
Toggle thermal p and b circuit breaker
Frequency In Hertz:
50.0 single location
Thread Series Designator:
Uns
Terminal Type And Quantity:
2 tab w/screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0