NSN 5925-01-621-0123

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-621-0123 **Body Style:** Single pole type **Body Length:** 2.50 inches **Body Width:** 0.75 inches **Case Material:** Plastic and metal **Center To Center Distance Between Terminals Parallel To Length:** 1.940 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 2.06 inches **End Application:** 2350-01-369-6086 **Boss Height:** 0.218 inches **Mounting Surface To Terminal End Distance:** 2.56 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 threaded hole **Maximum Continuous Load Current Rating Per Pole:** 60.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free

Thread Size:

32.0 inches

Trip Delay Time In Seconds Per Rated Continuous Current:

1.0 at 125 pct single location

NSN 5925-01-621-0123

Circuit Breaker - Page 2 of 2



Frequency In Hertz:
50.0 single location
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0