

View Online at <https://aerobasegroup.com/nsn/5925-01-641-9448>

**Body Style:**

Multipole-multiple actuator type

**Bushing Length:**

16.66 millimeters

**Body Length:**

51.59 millimeters

**Body Width:**

38.48 millimeters

**Case Material:**

Plastic

**Center To Center Distance Between Terminals Parallel To Length:**

39.65 millimeters

**Center To Center Distance Between Terminals Parallel To Width:**

19.43 millimeters

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

39.65 millimeters

**Mounting Surface To Terminal End Distance:**

56.69 millimeters

**Pole Quantity:**

2

**Mounting Facility Type And Quantity:**

1 threaded bushing w/panel seal

**Maximum Continuous Load Current Rating Per Pole:**

10.0 amperes ac all locations

**Operating Voltage Type And Rating Per Pole In Volts:**

240.0 ac all locations

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Magnetic all locations

**Trip Release Characteristic:**

Instantaneous all locations

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Thread Size:**

4.0 inches

**Frequency In Hertz:**

60.0 all locations

**Thread Series Designator:**

Unf

**Terminal Type And Quantity:**

4 tab w/screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0