## NSN 5930-00-005-3149

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-005-3149

| Hazardous Locations/environmental Protection:                                 |
|---|
| Dustproof   |
| Overall Length:   |
| 4.875 inches  |
| Overall Height:   |
| 2.188 inches  |
| Overall Width:  |
| 2.188 inches  |
| Shaft Diameter:   |
| 0.250 inches single actuator  |
| Shaft Length:   |
| 0.500 inches single actuator  |
| Unthreaded Mounting Hole Diameter:  |
| 0.140 inches single mounting facility   |
| Individual Section Quantity:  |
| 1   |
| Knob Manufacturer Part Number:  |
| 91929   |
| Longest Horizontal Distance Between Mounting Centers:                         |
| 1.250 inches single mounting facility   |
| Longest Vertical Distance Between Mounting Centers:                           |
| 1.250 inches single mounting facility   |
| Switch Contact Basic Design:  |
| Nonpile-up nonsymmetrical   |
| Mounting Method:  |
| Bracket single mounting facility and unthreaded hole single mounting facility |
| Features Provided:  |
| Actuator knob   |
| Contact Voltage Rating In Volts:  |
| 600.0 highest ac voltage rating at sea level                                  |
| Switch Actuator Momentary Position:   |
| Clockwise single actuator   |
| Mounting Facility Pattern:  |
| Four position rectangular single mounting facility                            |
| Switch Actuator Indexing Position Quantity:                                   |
| 2 single actuator   |
| Shaft Type:   |
| Round single actuator   |
| Terminal Type:  |
| Tab w/screw   |
| Switch Actuator Positioning Increment:  |

90.0 degrees single actuator

## **NSN 5930-00-005-3149**Rotary Switch - Page 2 of 2

Fiig: A052b0



| Switch Actuator Stop Device Type:  |
|--|
| Fixed stop single actuator   |
| Contact Load Current Rating:   |
| $6.0 \ \mathrm{amperes}$ resistive load highest ac voltage rating at sea level |
| Style Designator:  |
| Tap, circuit selector  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |