NSN 5930-00-005-3223

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-005-3223
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
7.500 inches
Overall Height:
4.375 inches
Overall Width:
2.875 inches
First Flat Length:
1.000 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.500 inches single actuator
Individual Section Quantity:
16
Knob Manufacturer Code:
82121
Knob Specificationial Markings:
Arrow symbol
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 each section front
Throw Quantity:
2 each section front
Mounting Facility Circle Radius:
1.609 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
20 single mounting facility
Thread Size:
0.250 inches single mounting facility
Contact Voltage Rating In Volts:

500.0 lowest ac voltage rating at sea level **Mounting Facility Pattern:**

Four position circular single mounting facility

NSN 5930-00-005-3223Rotary Switch - Page 2 of 2



Switch Actuator Indexing Position Quantity:
2 single actuator
Shaft Type:
Round, flatted, threaded hole single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes each section front
Switch Actuator Positioning Increment:
36.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
10.0 amperes resistive load highest dc voltage rating at sea level
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0