NSN 5930-00-014-1703

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-014-1703

view Offline at https://aerobasegroup.com/hsh/5555-55-55-77-1705
Overall Length:
25.625 inches
Power Cable Length:
300.000 inches
Ac Voltage Rating:
Unable to decode
Frequency Rating:
60.0 hertz 1st alternate operating power rqmt
Overall Diameter:
3.500 inches
Actuation Method:
Buoyancy
Electrical Connection Type:
Cable
Current Rating At Maximum Rated Voltage:
45.0 milliamperes load
Voltage Rating At Maximum Rated Current:
110.0 volts
Float Quantity:
2
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 250.0 degrees fahrenheit
Mounting Method:
0.250in20 thd4holes eq.Spaced on a 2.437in.Dia.B.C.
Mounting Position:
Vertical
Maximum Current Rating:
99.0 milliamperes load
Contact Arrangement:
Normally open dry, 2 pole single throw
Relay:
Not included
Liquid Type For Which Designed:
Hydraulic oil and lubricating oil and sea water and various fuels
Float Effective Travel:
19.437 inches
Mounting Dimensions:
Mtd by 4 threaded holes 0.250-20 spaced eq on 2.437in.Dia. B.C.
Tank Insertion Length:
22.500 inches
Dhaga

Phase

Unable to decode

NSN 5930-00-014-1703

Liquid Level Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T109-d