# NSN 5930-00-063-1778

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-063-1778

## **Thread Class:**

2a single mounting facility

### Thread Length:

0.250 inches single mounting facility

## **Overall Length:**

1.625 inches

#### **Overall Height:**

1.250 inches

#### **Overall Width:**

1.250 inches

#### First Flat Length:

0.437 inches single actuator

#### Flat Height:

0.219 inches single actuator

#### Shaft Diameter:

0.250 inches single actuator

## Shaft Length:

0.437 inches single actuator

### Overall Diameter:

1.250 inches

## Nonturn Device Radius:

0.531 inches at 3: 00 o'clock

## Individual Section Quantity:

1

# Nonturn Device Type:

Tab at 3: 00 o'clock

# Switch Contact Basic Design:

Nonpile-up nonsymmetrical

# Pole Quantity:

1 single section rear

# Throw Quantity:

11 single section rear

# Mounting Method:

Threaded bushing single mounting facility

# Thready Qty Per Inch (tpi):

32 single mounting facility

# Thread Size:

0.375 inches single mounting facility

# Contact Voltage Rating In Volts:

28.0 dc at altitude

# Switch Actuator Indexing Position Quantity:

2 single actuator

# NSN 5930-00-063-1778

Rotary Switch - Page 2 of 2



Shaft Type: Round, flatted single actuator **Terminal Type:** Tab, solder lug **Contact Switching Action:** Breaks before makes single section rear Switch Actuator Stop Device Type: Fixed stop single actuator Style Designator: Circular wafer, bushing mount **Thread Series Designator:** Unc single mounting facility Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A052b0