## NSN 5930-00-067-6183

Thermostatic Switch - Page 1 of 2

Overall Length: 6.000 inches



View Online at https://aerobasegroup.com/nsn/5930-00-067-6183

Overall Height:
5.250 inches
Overall Width:
2.219 inches
Body Length:
4.750 inches
Body Height:
2.625 inches
Unthreaded Mounting Hole Diameter:
0.188 inches
Distance Between Mounting Facility Centers:
5.250 inches
Capillary Tube Length:
180.0 inches
Bulb Length:
6.000 inches
Bulb Diameter:
1.125 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Operating Tempurature Rating:
122.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
8.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:

Contact Adjustinent Range

-10.00/+60.00 actuation point degrees fahrenheit and -10.00 to 60.00 deactuation point degrees fahrenheit

## NSN 5930-00-067-6183

Thermostatic Switch - Page 2 of 2



	Contact	Adi	justment	Type:
--	---------	-----	----------	-------

External deactuation point screw and external actuation point screw

**Contact Voltage Rating In Volts:** 

230.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0