

View Online at <https://aerobasegroup.com/nsn/5930-00-069-6854>

Thread Length:

0.540 inches all pressure connection

Overall Length:

2.312 inches

Overall Height:

2.969 inches

Overall Width:

1.000 inches

Body Length:

1.625 inches

Body Height:

1.750 inches

Distance Between Mounting Facility Centers:

1.156 inches

Pressure Switch Type:

Differential

Mounting Method:

Flush

Thready Qty Per Inch (tpi):

20 all pressure connection

Contact Action Stimulus:

Increase

Thread Size:

0.438 inches single pressure connection

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Turret

Contact Load Current Rating:

10.0 amperes resistive load first voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Range:

+100.00/+200.00 actuation point pounds per square inch and +100.00 to 200.00 deactuation point pounds per square inch

Contact Adjustment Type:

External deactuation point screw and external actuation point screw

Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage

Pressure Connector Type:

Plain, threaded internal all connections

Media For Which Designed:

Liquid

Style Designator:

Rectangular

Thread Series Designator:

Unf all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0