# NSN 5930-00-071-5061

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-071-5061

## **Thread Class:**

2a single mounting facility

## Thread Length:

0.375 inches single mounting facility

## **Overall Length:**

3.438 inches

## **Overall Height:**

1.875 inches

#### **Overall Width:**

1.719 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.469 inches single actuator

#### **Nonturn Device Radius:**

## 0.531 inches at 9:00 o'clock

## Individual Section Quantity:

4

#### Nonturn Device Type:

Tab at 9: 00 o'clock

## Switch Contact Basic Design:

Nonpile-up nonsymmetrical

## **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

## **Contact Voltage Rating In Volts:**

28.0 dc at sea level

## Switch Actuator Indexing Position Quantity:

2 single actuator

#### Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

350.0 milliamperes resistive load ac at sea level

# **Precious Material And Location:**

Contact surfaces silver

# NSN 5930-00-071-5061

Rotary Switch - Page 2 of 2

Precious Material: Silver Style Designator: Circular wafer, bushing mount Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

