## NSN 5930-00-078-3578

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-078-3578

view Online at https://deiobasegroup.com/hsi//330-00-070-3070
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
1.300 inches
Overall Height:
Between 1.714 inches and 1.854 inches
Body Diameter:
0.665 inches
Mounting Slot Width:
Between 0.156 inches and 0.176 inches
Body Height:
Between 1.150 inches and 1.250 inches
Distance Between Mounting Facility Centers:
Between 1.050 inches and 1.110 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Bracket and slot
Features Provided:
Electrical box connector
Contact Action Stimulus:
Decrease
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
3.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
115.00 actuation point degrees fahrenheit and 130.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level single voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange

## NSN 5930-00-078-3578

Thermostatic Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

