

View Online at <https://aerobasegroup.com/nsn/5930-00-079-1266>

Overall Length:

4.075 inches

Body Diameter:

2.030 inches

Body Length:

2.945 inches

Unthreaded Mounting Hole Diameter:

Between 0.198 inches and 0.204 inches

Longest Horizontal Distance Between Mounting Centers:

2.781 inches

Shortest Horizontal Distance Between Mounting Centers:

1.391 inches

Longest Vertical Distance Between Mounting Centers:

2.500 inches

Pressure Switch Type:

Gage

Mounting Method:

Flange and unthreaded hole

Features Provided:

Electrical box connector

Thready Qty Per Inch (tpi):

20 single pressure connection

Contact Action Stimulus:

Increase

Thread Size:

0.438 inches single pressure connection

Mounting Facility Pattern:

Isosceles triangle

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

5.0 amperes resistive load single voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

8000.00 actuation point feet and 7500.00 deactuation point feet

Contact Voltage Rating In Volts:

24.0 dc at sea level single voltage

Pressure Connector Type:

Plain, threaded internal single connection

Media For Which Designed:

Gas

Style Designator:

Cylindrical w/mounting lugs

Thread Series Designator:

Unf single pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A048b0