

View Online at <https://aerobasegroup.com/nsn/5930-00-084-3648>

Thread Class:

2a single mounting facility

Thread Length:

0.259 inches single mounting facility and 0.291 inches single mounting facility

Overall Length:

2.020 inches

Overall Height:

0.760 inches

Overall Width:

0.760 inches

First Flat Length:

0.327 inches single actuator

Shaft Diameter:

0.252 inches single actuator

Shaft Length:

0.676 inches single actuator

Individual Section Quantity:

1

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 single section rear

Throw Quantity:

10 single section rear

Mounting Method:

Threaded bushing single mounting facility

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

115.0 ac at sea level

Switch Actuator Indexing Position Quantity:

10 single actuator

Shaft Type:

Round, parallel flatted single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes single section rear

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Contact Load Current Rating:

3.0 amperes resistive load ac at sea level and 0.5 amperes inductive load ac at sea level

Style Designator:

Square wafer, panel mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0