## NSN 5930-00-086-9242

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-086-9242

**Thread Class:** 

2b single mounting facility

**Overall Length:** 

Between 2.507 inches and 2.609 inches

**Overall Height:** 

Between 2.634 inches and 2.766 inches

Overall Width:

Between 2.634 inches and 2.766 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

1.125 inches single actuator

**Individual Section Quantity:** 

1

## **Operating Tempurature Range:**

-28.0 to 85.0 degrees celsius

## **Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:** 

2 single section rear

**Throw Quantity:** 

24 single section rear

**Mounting Method:** 

Base single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.164 inches single mounting facility

**Contact Voltage Rating In Volts:** 

500.0 dc at sea level

**Mounting Facility Pattern:** 

Two position in-line single mounting facility

**Switch Actuator Indexing Position Quantity:** 

24 single actuator

**Shaft Type:** 

Round single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes single section rear

**Switch Actuator Positioning Increment:** 

15.0 degrees single actuator

## NSN 5930-00-086-9242

Rotary Switch - Page 2 of 2



Contact	Load	Current	Rating:
---------	------	---------	---------

200.0 milliamperes resistive load dc at sea level

**Style Designator:** 

Tap, square frame

**Thread Series Designator:** 

Unc single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A052b0