NSN 5930-00-092-1306

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-092-1306

Overall Length:
6.729 inches
Overall Height:
1.875 inches
Overall Width:
1.469 inches
Shaft Diameter:
0.251 inches single actuator
Shaft Length:
0.151 inches single actuator
Unthreaded Mounting Hole Diameter:
0.125 inches single mounting facility
Individual Section Quantity:
4
Longest Horizontal Distance Between Mounting Centers:
1.031 inches single mounting facility
Operating Tempurature Range:
-35.0 to 85.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical and nonpile-up nonsymmetrical
Pole Quantity:
1 4th section rear
Throw Quantity:
4 4th section rear
Mounting Method:
Bracket single mounting facility and unthreaded hole single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Two position in-line single mounting facility
Switch Actuator Indexing Position Quantity:
12 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Tab, solder lug
Contact Switching Action:
Breaks before makes 2nd section rear
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Switch Actuator Ston Device Type:

Fixed stop single actuator

NSN 5930-00-092-1306

Rotary Switch - Page 2 of 2



Contact Load Current Rating:

1.0 amperes resistive load ac at sea level

Special Features:

Dummy clip in 7th position third section front

Precious Material And Location:

Clips and rotor blades silver

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0