# NSN 5930-00-093-0287

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-093-0287

### **Thread Class:**

2b all threaded hole

## **Overall Length:**

2.563 inches

# **Overall Height:**

1.250 inches

## **Overall Width:**

1.406 inches

### **Body Length:**

1.656 inches

## **Distance Between Mounting Facility Centers:**

2.187 inches

### Capillary Tube Length:

18.000 inches

## Tempurature Sensing Element Type:

Capillary tube

## **Operating Tempurature Rating:**

55.0 degrees fahrenheit

## Mounting Method:

Bracket and threaded hole

# Thready Qty Per Inch (tpi):

32 all threaded hole

## **Contact Action Stimulus:**

Increase

## Thread Size:

0.164 inches all threaded hole

# Mounting Facility Pattern:

Two position in-line

# Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

### **Terminal Type:**

Quick disconnect, male

### **Contact Load Current Rating:**

8.3 amperes resistive load first voltage

### Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

## Contact Adjustment Range:

+23.00/+41.00 actuation point degrees fahrenheit and +12.00 to 49.00 deactuation point degrees fahrenheit

### **Contact Adjustment Type:**

External deactuation point shaft and external actuation point shaft

### **Contact Voltage Rating In Volts:**

240.0 ac at sea level first voltage

# NSN 5930-00-093-0287

Thermostatic Switch - Page 2 of 2



Media For Which Designed:

Gas

Style Designator:

Rectangular

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0