

View Online at <https://aerobasegroup.com/nsn/5930-00-102-5906>

**Hazardous Locations/environmental Protection:**

Dustproof

**Overall Length:**

2.000 inches

**Overall Height:**

1.060 inches

**Body Diameter:**

0.930 inches

**Mounting Slot Width:**

0.177 inches

**Body Height:**

1.000 inches

**Distance Between Mounting Facility Centers:**

1.610 inches

**Tempurature Sensing Element Type:**

Internal sensor

**Mounting Method:**

Bracket and slot

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

3.0 amperes inductive load first voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

265.00 actuation point degrees fahrenheit and 225.00 deactuation point degrees fahrenheit

**Contact Voltage Rating In Volts:**

240.0 ac at sea level first voltage

**Frequency In Hertz:**

60.0 second voltage

**Media For Which Designed:**

Gas

**Precious Material And Location:**

Terminal surfaces silver

**Precious Material:**

Silver

**Style Designator:**

Disc w/flange

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0