## NSN 5930-00-102-8255

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-102-8255 **Thread Class:** 2a all threaded stud **Thread Length:** 0.180 inches all threaded stud and 0.194 inches all threaded stud **Overall Height:** 0.551 inches **Body Height:** 0.320 inches **Overall Diameter:** Between 0.600 inches and 0.640 inches **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Threaded stud **Features Provided:** Hermetically sealed case Thready Qty Per Inch (tpi): 32 all threaded stud **Contact Action Stimulus:** Increase **Thread Size:** 0.138 inches all threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 5.0 amperes resistive load third voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 240.00 actuation point degrees fahrenheit and 260.00 actuation point degrees fahrenheit and 192.00 deactuation point degrees fahrenheit and 208.00 deactuation point degrees fahrenheit and 50.00 differential point degrees fahrenheit **Contact Voltage Rating In Volts:** 28.0 dc at sea level third voltage Frequency In Hertz: 400.0 second voltage

Media For Which Designed:

Gas

**Style Designator:** 

Disc

**Thread Series Designator:** 

Unc all threaded stud

## NSN 5930-00-102-8255

Thermostatic Switch - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0