NSN 5930-00-104-3049

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-104-3049

Thread Length:

0.468 inches single mounting facility

Hazardous Locations/environmental Protection:

Moisture resistant

Overall Length:

2.343 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

0.843 inches single actuator

Overall Diameter:

1.250 inches

Individual Section Quantity:

2

Operating Tempurature Range:

-65.0 to 125.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

2 each section rear

Throw Quantity:

4 each section rear

Mounting Method:

Threaded bushing single mounting facility

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

300.0 highest ac voltage rating at sea level

Switch Actuator Indexing Position Quantity:

4 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes each section rear

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Detent Rotational Torque Range:

+1.000 to 6.000 inch-pounds single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-00-104-3049

Rotary Switch - Page 2 of 2

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0

