NSN 5930-00-106-6067

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-106-6067 **Overall Length: 4.938** inches **Overall Height:** 5.125 inches **Overall Width:** 2.875 inches **Capillary Tube Length:** 120.000 inches **Bulb Length:** 2.875 inches **Bulb Diameter:** 0.688 inches **Tempurature Sensing Element Type:** Capillary tube-bulb **Operating Tempurature Rating:** 300.0 degrees fahrenheit **Mounting Method: Bracket Contact Action Stimulus:** Increase **Nonpile-up Contact Arrangement:** 1 pole, single throw, both positions maintained **Terminal Type:** Tab w/screw **Contact Load Current Rating:** 1.0 amperes resistive load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point adjustable **Contact Adjustment Range:** +150.00 to 225.00 actuation point degrees fahrenheit **Contact Adjustment Type:** External actuation point screw **Contact Voltage Rating In Volts:** 550.0 dc at sea level second voltage **Special Features:** Kmounting dimensions, three 0.281 in. Diameter mounting holes, two holes on top spaced 2.406 in. C to c, one hole on bottomspaced 1.844 in. From left side of case, 3.281 in. Verticaldistance between mounting centers Frequency In Hertz: 60.0 single voltage Shelf Life:

--

N/a

Unit Of Measure:

NSN 5930-00-106-6067

Thermostatic Switch - Page 2 of 2



| _ | | •• | • • | | | | |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш | 112 | rız | 211 | n | ٠. |
| | | | | | | | |

No

Fiig:

A048b0