NSN 5930-00-108-4234



Rotary Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-108-4234
Thread Class:
2b single mounting facility
Overall Length:
4.501 inches
Overall Height:
2.250 inches
Overall Width:
2.250 inches
Shaft Diameter:
0.249 inches single actuator and 0.251 inches single actuator
Shaft Length:
0.938 inches single actuator
Distance Between Mounting Facility Centers:
1.500 inches single mounting facility
Individual Section Quantity:
3
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 each section periphery
Throw Quantity:
12 each section periphery
Mounting Method:
Threaded hole single mounting facility
Thread Size:
0.164 inches single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Two position in-line single mounting facility
Switch Actuator Indexing Recition Quantity:

Switch Actuator Indexing Position Quantity:

12 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Turret

Contact Switching Action:

Breaks before makes single section periphery

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-00-108-4234

Rotary Switch - Page 2 of 2



Contact	Load	Current	Rating:
---------	------	---------	---------

2.0 amperes resistive load dc at sea level

Style Designator:

Tap, square frame

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0