NSN 5930-00-112-4607

Thermostatic Switch - Page 1 of 2

Silver



View Online at https://aerobasegroup.com/nsn/5930-00-112-4607

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
5.500 inches
Overall Height:
8.250 inches
Overall Width:
2.813 inches
Body Height:
5.000 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
1.203 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
Tempurature Sensing Element Type:
Bulb
Mounting Method:
Surface
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Isosceles triangle
Terminal Type:
Tab w/screw
Contact Load Current Rating:
16.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+90.00 to 165.00 actuation point degrees fahrenheit and +90.00/+165.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point screw and external actuation point screw
Contact Voltage Rating In Volts:
115.0 dc at sea level second voltage
Media For Which Designed:
Gas
Precious Material And Location:
Contacts silver
Precious Material:

NSN 5930-00-112-4607

Thermostatic Switch - Page 2 of 2



Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A048b0