NSN 5930-00-115-7963

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-115-7963

Thread Class:

3b all pressure connection

Inside Diameter:

0.438 inches all connections

Thread Length:

0.560 inches all threaded stud

Overall Length:

2.730 inches

Body Length:

1.850 inches

Overall Diameter:

2.500 inches

Pressure Switch Type:

Differential

Mounting Facility Circle Radius:

0.750 inches

Operating Tempurature Rating:

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Mounting Method:

Threaded stud

Thready Qty Per Inch (tpi):

32 all threaded stud

Contact Action Stimulus:

Increase

Proof Pressure:

15.00 pounds per square inch gage

Thread Size:

0.438 inches all pressure connection

Mounting Facility Pattern:

Four position circular

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

500.0 milliamperes resistive load single voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

 $5.84\ actuation\ point\ inches\ of\ mercury\ and\ 5.20\ deactuation\ point\ inches\ of\ mercury$

Contact Voltage Rating In Volts:

28.0 dc at sea level single voltage

NSN 5930-00-115-7963

Pressure Switch - Page 2 of 2



Pressure Connector Type:

Plain, threaded internal all connections

Media For Which Designed:

Gas

Style Designator:

Cylindrical

Thread Series Designator:

Unf all pressure connection

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0