

View Online at <https://aerobasegroup.com/nsn/5930-00-115-8483>

**Overall Length:**

3.510 inches

**Overall Height:**

1.690 inches

**Overall Width:**

1.150 inches

**Unthreaded Mounting Hole Diameter:**

0.100 inches single mounting facility

**Individual Section Quantity:**

5

**Longest Horizontal Distance Between Mounting Centers:**

3.440 inches single mounting facility

**Longest Vertical Distance Between Mounting Centers:**

0.900 inches single mounting facility

**Operating Temperature Range:**

-62.0/+95.0 degrees celsius

**End Application:**

F/a-18 hornet, s-3b viking, c-130f hercules, f-4 phantom, f4s, f-14 tomcat, e-2c hawkeye aircraft. Apx-76 airborne radar. Sh-60b lamps mark iii helicopter.

**Mounting Method:**

Bracket single mounting facility and unthreaded hole single mounting facility

**Actuator Type:**

Thumbwheel all actuators

**Contact Voltage Rating In Volts:**

125.0 ac at sea level

**Mounting Facility Pattern:**

Four position rectangular single mounting facility

**Switch Actuator Indexing Position Quantity:**

8 5th actuator

**Criticality Code Justification:**

Feat

**Terminal Type:**

Printed circuit

**Contact Load Current Rating:**

60.0 milliamperes resistive load highest ac voltage rating at sea level

**Readout Indicator Marking:**

1, 2, 3, 4, 4a, 4b 1st section

**Contact Arrangement Truth Table:**

Decimal, 1 pole - 8 positions 1st section

**Special Features:**

Weapon system essential. Features - stops on section 1, 5 v lamp per section.

**Color:**

White each indicator marking

**Style Designator:**

Rectangular inline indicating

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A052b0