NSN 5930-00-129-6556

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-129-6556

Overall Length:
4.250 inches
Overall Height:
2.656 inches
Overall Width:
2.655 inches
Body Length:
3.375 inches
Body Height:
1.969 inches
Unthreaded Mounting Hole Diameter:
0.219 inches
Distance Between Mounting Facility Centers:
2.000 inches
Capillary Tube Length:
240.00 inches
Bulb Length:
0.188 inches
Bulb Diameter:
13.000 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 two circuit, double break/double make, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
30.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+200.00/+550.00 actuation point degrees fahrenheit and +200.00 to 550.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point dial and external actuation point dial

Contact Voltage Rating In Volts:

220.0 ac at sea level single voltage

NSN 5930-00-129-6556

Thermostatic Switch - Page 2 of 2



Frequency	ln	Hertz:
-----------	----	--------

60.0 single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular w/bracket

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0