

View Online at <https://aerobasegroup.com/nsn/5930-00-129-6556>

**Overall Length:**

4.250 inches

**Overall Height:**

2.656 inches

**Overall Width:**

2.655 inches

**Body Length:**

3.375 inches

**Body Height:**

1.969 inches

**Unthreaded Mounting Hole Diameter:**

0.219 inches

**Distance Between Mounting Facility Centers:**

2.000 inches

**Capillary Tube Length:**

240.00 inches

**Bulb Length:**

0.188 inches

**Bulb Diameter:**

13.000 inches

**Temperature Sensing Element Type:**

Capillary tube-bulb

**Mounting Method:**

Bracket and unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 two circuit, double break/double make, one position momentary

**Terminal Type:**

Screw

**Contact Load Current Rating:**

30.0 amperes resistive load single voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+200.00/+550.00 actuation point degrees fahrenheit and +200.00 to 550.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

External deactuation point dial and external actuation point dial

**Contact Voltage Rating In Volts:**

220.0 ac at sea level single voltage

**Frequency In Hertz:**

60.0 single voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Rectangular w/bracket

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**FiiG:**

A048b0