NSN 5930-00-135-5040

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-135-5040

Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
2.750 inches
Unthreaded Mounting Hole Diameter:
0.234 inches
Flangewidth:
1.440 inches
Tempurature Sensing Element Type:
Bulb
Mounting Facility Circle Radius:
0.624 inches
Operating Tempurature Rating:
Between 0.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Flange and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Three position circular
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
1.0 amperes resistive load single voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
260.00 actuation point degrees fahrenheit
Contact Voltage Rating In Volts:
32.0 dc at sea level single voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Cylindrical w/flange
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5930-00-135-5040

Thermostatic Switch - Page 2 of 2



Fiig:

A048b0