

View Online at <https://aerobasegroup.com/nsn/5930-00-137-0828>

**Body Style:**

Bushing mounted

**Overall Length:**

2.380 inches

**Overall Height:**

0.750 inches

**Overall Width:**

0.750 inches

**Body Diameter:**

0.750 inches

**Bushing Length:**

0.410 inches

**Case Material:**

Metal

**Actuator Style:**

Round

**Actuator Diameter:**

0.468 inches

**Actuator Height:**

0.445 inches

**Maximum Voltage Rating In Volts:**

125.0 ac and 30.0 dc

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Threaded bushing

**Features Provided:**

Actuator seal and holding solenoid

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.563 inches

**Contact Load Current Rating At Maximum Rated Voltage:**

2.000 amperes resistive dc and 500.000 milliamperes inductive dc and 2.000 amperes resistive ac and 500.000 milliamperes inductive ac

**Precious Material And Location:**

Terminal surfaces and contacts and shorting bar silver

**Test Data Document:**

81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Un

**Terminal Type And Quantity:**

16 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A053a0