## NSN 5930-00-137-4626

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-137-4626

## Thread Class:

2a single mounting facility

## Thread Length:

0.250 inches single mounting facility

## **Overall Length:**

1.391 inches

#### Shaft Diameter:

0.125 inches single actuator

#### Shaft Length:

0.563 inches single actuator

#### **Overall Diameter:**

0.719 inches

#### Individual Section Quantity:

2

## Nonturn Device Type:

Flatted bushing at 3: 00 o'clock

## **Operating Tempurature Range:**

-65.0/+110.0 degrees celsius

#### Switch Contact Basic Design:

Nonpile-up nonsymmetrical

## **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.250 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

5.0 dc at sea level

## Switch Actuator Indexing Position Quantity:

12 single actuator

#### Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

#### **Contact Switching Action:**

Breaks before makes each section front

#### **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

## **Detent Rotational Torque Range:**

+7.000/+13.000 inch-ounces single actuator

#### **Contact Load Current Rating:**

10.0 milliamperes resistive load dc at sea level

## Style Designator:

Tap, circular, bushing mount

# NSN 5930-00-137-4626

Rotary Switch - Page 2 of 2

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

